



- BRS:
- BRS:
- BRS:
- BRS:
- Pending
- Active
  - L2: (180) 11 and plate
  - L3: (0) 12 and encapsulat\$
  - L4: (23) 12 and molded
  - L5: (2) 11 and race
  - L1: (532) (297/468).CCLS.
  - L6: (1) seat with rib near2 guard
  - L7: (2129) seat with rib
  - L8: (10) seat with lateral near2 guard
  - L9: (2) seat with woven near2 carbon near2 fiber
  - L10: (6) ("20020047297"|"6224018"|"6056366"|"536
  - L11: (3) (("5251963") or ("D283469") or ("D23403
  - L12: (365) ((296/216.1,216.16,216.18) or (296/68
  - L13: (0) 112 and leg near2 rest
  - L14: (0) 112 and legrest
  - L15: (0) 112 and carbon near2 fiber
  - L16: (1) 112 and Kevlar
  - L17: (169) (297/452.14).CCLS.
  - L18: (0) ("seatwithcustom\$near3padding").PN.
  - L19: (2) seat with custom\$ near3 padding

    
  ☐ Plurals

 Default operator: 
☒ Highlight all hit terms initially

☒ Custom form ☒ BRS form ☒ IS&R form ☒ Hits ☒ Details ☒ Image

- Drafts
- Pending
- Active
- Failed
- Saved
- Favorites
- Tagged (60)
- UDC
- Queue
- Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6550858	20030422	15	Extricable seat assembly	297/216
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6626259	20030930	11	Safety seat	180/271
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6733710	20040511	8	Vehicle passenger restraint and method of	264/222
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283469	19860422	3	Race car seat	D6/356
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283470	19860422	3	Race car seat	D6/356
48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D307347	19900417	2	Fork lift canopy cover	D34/35
49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D321992	19911203	3	Vehicle seat or similar article	D6/356
50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D344641	19940301	6	Wingback safety seat	D6/356
51	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US RE30044	19790717	7	Vertical arch shelter	52/63
52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030047971	20030313	10	Emergency vehicle seat with integrated seat belt	297/188
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6637826	20031028	10	Car seat having looped adjustable shoulder harness	297/484
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3922030	19751125	6	Protective seat	296/68.
55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020047297	20020425	4	Adaptable seat	297/284
56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6056366	20000502	6	Composite back frame for a vehicle seat and	297/452
57	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3695696	19721003	7	VEHICLE SEAT WITH INTEGRAL SEAT AND BACK	297/452
58	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3389935	19680625	6	Composite load supporting structure for	297/452
59	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D234033	19750107	2	TEXT AVAILABLE IN USOCR DATABASE	D6/356
60	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20040012239	20040122	9	Vehicle passenger restraint and method of	297/452

☒ BRS form ☒ Hits ☒ Details ☒ HTML

EAST - [radio:2]

FileViewEditToolsWindowHelp

BRS:

BRS:

BRS:

BRS:

Pending

Active

L2: (180) l1 and plate

L3: (0) l2 and encapsulat\$

L4: (23) l2 and molded

L5: (2) l1 and race

L1: (532) (297/468).CCLS.

L6: (1) seat with rib near2 guard

L7: (2129) seat with rib

L8: (10) seat with lateral near2 guard

L9: (2) seat with woven near2 carbon near2 fiber

L10: (6) ("20020047297"|"6224018"|"6056366"|"536

L11: (3) (("5251963") or ("D283469") or ("D23403

L12: (365) ((296/216.1,216.16,216.18) or (296/68

L13: (0) l12 and leg near2 rest

L14: (0) l12 and legrest

L15: (0) l12 and carbon near2 fiber

L16: (1) l12 and Kevlar

L17: (169) (297/452.14).CCLS.

L18: (0) ("seatwithcustom\$near3padding").PN.

L19: (2) seat with custom\$ near3 padding

SearchListBrowseQueueClear

DBsUSPATPlurals

Default operator: ORHighlight all hit terms initially

seat with custom\$ near3 padding

Custom formBRS formIS&R formHitsDetailsIma

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (60)


UDC

Queue

Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
4	BRS	L5	2	l1 and race	USPA	2005/04/1		
5	IS&R	L1	532	(297/468).CCLS.	US-P	2005/04/1		
6	BRS	L6	1	seat with rib near2 guard	USPA	2005/04/1		
7	BRS	L7	2129	seat with rib	USPA	2005/04/1		
8	BRS	L8	10	seat with lateral near2 guard	USPA	2005/04/1		
9	BRS	L9	2	seat with woven near2 carbon near2 fiber	USPA	2005/04/1		
10	BRS	L10	6	("20020047297" "6224018" "6056366" "536393	US-P	2005/04/1		
11	IS&R	L11	3	((("5251963") or ("D283469") or ("D234	USPA	2005/04/1		
12	IS&R	L12	365	((296/216.1,216.16,216.18) or (296/68.1)).	US-P	2005/04/1		
13	BRS	L13	0	l12 and leg near2 rest	USPA	2005/04/1		
14	BRS	L14	0	l12 and legrest	USPA	2005/04/1		
15	BRS	L15	0	l12 and carbon near2 fiber	USPA	2005/04/1		
16	BRS	L16	1	l12 and Kevlar	USPA	2005/04/1		
17	IS&R	L17	169	(297/452.14).CCLS.	US-P	2005/04/1		
18	IS&R	L18	0	("seatwithcustom\$near3padding").PN.	US-P	2005/04/1		
19	BRS	L19	2	seat with custom\$ near3 padding	USPA	2005/04/1		

BRS formHitsDetailsHTML



- BRS:
- BRS:
- BRS:
- BRS:
- Pending
- Active
  - L2: (180) 11 and plate
  - L3: (0) 12 and encapsulat\$
  - L4: (23) 12 and molded
  - L5: (2) 11 and race
  - L1: (532) (297/468).CCLS.
  - L6: (1) seat with rib near2 guard
  - L7: (2129) seat with rib
  - L8: (10) seat with lateral near2 guard
  - L9: (2) seat with woven near2 carbon near2 fiber
  - L10: (6) ("20020047297"|"6224018"|"6056366"|"536
  - L11: (3) ("5251963") or ("D283469") or ("D23403
  - L12: (365) ((296/216.1,216.16,216.18) or (296/68
  - L13: (0) 112 and leg near2 rest
  - L14: (0) 112 and legrest
  - L15: (0) 112 and carbon near2 fiber
  - L16: (1) 112 and Kevlar
  - L17: (169) (297/452.14).CCLS.
  - L18: (0) ("seatwithcustom\$near3padding").PN.
  - L19: (2) seat with custom\$ near3 padding






DBs

USPAT

☐ Plurals

Default operator: OR

☒ Highlight all hit terms initially

seat with custom\$ near3 padding

- Drafts
- Pending
- Active
- Failed
- Saved
- Favorites
- Tagged (60)
- UDC
- Queue
- Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6550858	20030422	15	Extricable seat assembly	297/216
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6626259	20030930	11	Safety seat	180/271
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6733710	20040511	8	Vehicle passenger restraint and method of	264/222
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283469	19860422	3	Race car seat	D6/356
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283470	19860422	3	Race car seat	D6/356
48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D307347	19900417	2	Fork lift canopy cover	D34/35
49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D321992	19911203	3	Vehicle seat or similar article	D6/356
50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D344641	19940301	6	Wingback safety seat	D6/356
51	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US RE30044	19790717	7	Vertical arch shelter	52/63
52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030047971	20030313	10	Emergency vehicle seat with integrated seat belt	297/188
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6637826	20031028	10	Car seat having looped adjustable shoulder bar	297/484
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3922030	19751125	6	Protective seat	296/68.
55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020047297	20020425	4	Adaptable seat	297/284
56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6056366	20000502	6	Composite back frame for a vehicle seat and	297/452
57	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3695696	19721003	7	VEHICLE SEAT WITH INTEGRAL SEAT AND BACK	297/452
58	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3389935	19680625	6	Composite load supporting structure for	297/452
59	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D234033	19750107	2	TEXT AVAILABLE IN USOCR DATABASE	D6/356
60	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20040012239	20040122	9	Vehicle passenger restraint and method of	297/452

EAST - [radio:2]

FileViewEditToolsWindowHelp

Drafts

- BRS:
- BRS: bumper with bracket with
- BRS:
- BRS:
- BRS:
- BRS:

Pending

Active

- L2: (180) 11 and plate
- L3: (0) 12 and encapsulat\$
- L4: (23) 12 and molded
- L5: (2) 11 and race
- L1: (532) (297/468).CCLS.
- L6: (1) seat with rib near2 guard
- L7: (2129) seat with rib
- L8: (10) seat with lateral near2 guard
- L9: (2) seat with woven near2 carbon near2 fiber
- L10: (6) ("20020047297"|"6224018"|"6056366"|"5363
- L11: (3) (("5251963") or ("D283469") or ("D234033
- L12: (365) ((296/216.1,216.16,216.18) or (296/68.
- L13: (0) 112 and leg near2 rest
- L14: (0) 112 and legrest
- L15: (0) 112 and carbon near2 fiber
- L16: (1) 112 and Kevlar

SearchListBrowseQueueClear

DBsUSPATPlurals

Default operator: ORHighlight all hit terms initially

112 and Kevlar

Custom formBRS formIS&R formHitsDetailsImage

Drafts

- Pending
- Active
- Failed
- Saved
- Favorites
- Tagged (59)
- UDC
- Queue
- Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6517150	20030211	7	Plastic cover for motor	296/216
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6550858	20030422	15	Extricable seat	297/216
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6626259	20030930	11	Safety seat	180/271
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6733710	20040511	8	Vehicle passenger	264/222
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283469	19860422	3	Race car seat	D6/356
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283470	19860422	3	Race car seat	D6/356
48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D307347	19900417	2	Fork lift canopy cover	D34/35
49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D321992	19911203	3	Vehicle seat or similar	D6/356
50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D344641	19940301	6	Wingback safety seat	D6/356
51	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US RE30044	19790717	7	Vertical arch shelter	52/63
52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030047971	20030313	10	Emergency vehicle seat	297/188
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6637826	20031028	10	Car seat having looped	297/484
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3922030	19751125	6	Protective seat	296/68.
55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20020047297	20020425	4	Adaptable seat	297/284
56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6056366	20000502	6	Composite back frame	297/452
57	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3695696	19721003	7	VEHICLE SEAT WITH	297/452
58	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3389935	19680625	6	Composite load	297/452
59	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D234033	19750107	2	TEXT AVAILABLE IN USOCR	D6/356

BRS formHitsDetailsHTML

ReadyNUM

EAST - [radio:2]

FileViewEditToolsWindowHelp

Drafts

- BRS:
  - BRS: bumper with bracket with
  - BRS:
  - BRS:
  - BRS:
  - BRS:
- Pending
- Active
  - L2: (180) 11 and plate
  - L3: (0) 12 and encapsulat\$
  - L4: (23) 12 and molded
  - L5: (2) 11 and race
  - L1: (532) (297/468).CCLS.
  - L6: (1) seat with rib near2 guard
  - L7: (2129) seat with rib
  - L8: (10) seat with lateral near2 guard
  - L9: (2) seat with woven near2 carbon near2 fiber
  - L10: (6) ("20020047297"|"6224018"|"6056366"|"5363
  - L11: (3) (("5251963") or ("D283469") or ("D234033
  - L12: (365) ((296/216.1,216.16,216.18) or (296/68.
  - L13: (0) 112 and leg near2 rest
  - L14: (0) 112 and legrest
  - L15: (0) 112 and carbon near2 fiber
  - L16: (1) 112 and Kevlar

SearchListBrowseQueueClear

DBsUSPATPlurals

Default operator: ORHighlight all hit terms initially

112 and Kevlar

Custom formBRS formIS&R formHitsDetailsIma


Drafts

- Pending
- Active
- Failed
- Saved
- Favorites
- Tagged (59)
- UDC
- Queue
- Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error I
1	BRS	L2	180	11 and plate	USPA T	2005/04/1 1 07:22		
2	BRS	L3	0	12 and encapsulat\$	USPA T	2005/04/1 1 07:22		
3	BRS	L4	23	12 and molded	USPA T	2005/04/1 1 07:23		
4	BRS	L5	2	11 and race	USPA T	2005/04/1 1 07:24		
5	IS&R	L1	532	(297/468).CCLS.	US-P GPUB	2005/04/1 1 07:44		
6	BRS	L6	1	seat with rib near2 guard	USPA T	2005/04/1 1 07:25		
7	BRS	L7	2129	seat with rib	USPA T	2005/04/1 1 07:25		
8	BRS	L8	10	seat with lateral near2 guard	USPA T	2005/04/1 1 07:27		
9	BRS	L9	2	seat with woven near2 carbon near2 fiber	USPA T	2005/04/1 1 07:27		
10	BRS	L10	6	("20020047297" "62240 18" "6056366" "536393	US-P GPUB	2005/04/1 1 07:49		
11	IS&R	L11	3	(("5251963") or ("D283469") or ("D234	USPA T	2005/04/1 1 07:51		
12	IS&R	L12	365	((296/216.1,216.16,21 6.18) or (296/68.1)).	US-P GPUB	2005/04/1 1 07:52		
13	BRS	L13	0	112 and leg near2 rest	USPA T	2005/04/1 1 07:52		
14	BRS	L14	0	112 and legrest	USPA T	2005/04/1 1 07:53		
15	BRS	L15	0	112 and carbon near2 fiber	USPA T	2005/04/1 1 07:53		
16	BRS	L16	1	112 and Kevlar	USPA T	2005/04/1 1 07:53		

BRS formHitsDetailsHTML

ReadyNUM



- BRS:
- BRS: bumper with bracket with
- BRS:
- BRS:
- BRS:
- Pending
- Active
  - L2: (33) 11 and shell
  - L4: (22) 13 and shell
  - L5: (40) 13 and rac\$
  - L6: (6) 13 and (race or racing)
  - L7: (2) 11 and (race or racing)
  - L8: (60) Combined citation search 1
  - L9: (60) Combined citation search 2
  - L10: (20) Combined citation search 3
  - L11: (217) (297/485).CCLS.
  - L13: (1) 297/4.ccls. and carbon near2 fiber
  - L14: (0) 112 and 113
  - L15: (135) "297"/\$.ccls. and honeycomb
  - L16: (0) 113 and 115
  - L17: (0) 113 and race
  - L18: (4) 115 and race
  - L12: (49) "297"/\$.ccls. and kevlar
  - L1: (365) (296/68.1).CCLS.
  - L3: (505) (297/216.1,216.16,216.18).CCLS.
  - L19: (299) (D6/356).CCLS.

DBs US-PGPUB:USPAT

Default operator: OR

☒ Highlight all hit terms initially

D6/356

## Drafts

Pending

Active

- L2: (33) 11 and shell
- L4: (22) 13 and shell
- L5: (40) 13 and rac\$
- L6: (6) 13 and (race or
- L7: (2) 11 and (race or
- L8: (60) Combined citati
- L9: (60) Combined citati
- L10: (20) Combined citat
- L11: (217) (297/485).CCI
- L13: (1) 297/4.ccls. and
- L14: (0) 112 and 113
- L15: (135) "297"/\$.ccls.
- L16: (0) 113 and 115
- L17: (0) 113 and race
- L18: (4) 115 and race
- L12: (49) "297"/\$.ccls.
- L1: (365) (296/68.1).CCI
- L3: (505) (297/216.1,216
- L19: (299) (D6/356).CCLS

Failed

Saved

Favorites


Tagged (22)

UDC

Queue

Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
4	BRS	L6	6	13 and (race or racing)	USPA T	2005/04/0 4 09:04		
5	BRS	L7	2	11 and (race or racing)	USPA T	2005/04/0 4 09:04		
6	BRS	L8	60	("2660222"   "2736566"   "3165355"	US-P GPUB	2005/04/0 4 09:21		
7	BRS	L9	60	("2660222"   "2736566"   "3165355"	US-P GPUB	2005/04/0 4 09:23		
8	BRS	L10	20	("2401748"   "3165355"   "3713695"	US-P GPUB	2005/04/0 4 10:08		
9	IS&R	L11	217	(297/485).CCLS.	US-P GPUB	2005/04/0 4 10:14		
10	BRS	L13	1	297/4.ccls. and carbon near2 fiber	US-P GPUB	2005/04/0 4 10:15		
11	BRS	L14	0	112 and 113	US-P GPUB	2005/04/0 4 10:15		
12	BRS	L15	135	"297"/\$.ccls. and honeycomb	US-P GPUB	2005/04/0 4 10:16		
13	BRS	L16	0	113 and 115	US-P GPUB	2005/04/0 4 10:16		
14	BRS	L17	0	113 and race	US-P GPUB	2005/04/0 4 10:16		
15	BRS	L18	4	115 and race	US-P GPUB	2005/04/0 4 10:16		
16	BRS	L12	49	"297"/\$.ccls. and kevlar	US-P GPUB	2005/04/0 4 10:17		
17	IS&R	L1	365	(296/68.1).CCLS.	US-P GPUB	2005/04/0 4 10:20		
18	IS&R	L3	505	(297/216.1,216.16,216.18).CCLS.	US-P GPUB	2005/04/0 4 10:47		
19	IS&R	L19	299	(D6/356).CCLS.	US-P GPUB	2005/04/0 4 10:47		



## Drafts

- ☒ BRS:
  - ☒ BRS: bumper with bracket with
  - ☒ BRS:
  - ☒ BRS:
  - ☒ BRS:
- ☐ Pending
- ☒ Active
  - ☒ L1: (365) (296/68.1).CCLS.
  - ☒ L2: (33) 11 and shell
  - ☒ L3: (505) (297/216.1,216.16,216.18).CCLS.
  - ☒ L4: (22) 13 and shell
  - ☒ L5: (40) 13 and rac\$
  - ☒ L6: (6) 13 and (race or racing)
  - ☒ L7: (2) 11 and (race or racing)
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☐ Tagged (7)
- ☐ UDC
- ☐ Queue
- ☐ Trash

Search

List

Browse

Queue

Clear

DBs

USPAT

☐ Plurals

Default operator: OR

☒ Highlight all hit terms initially

11 and (race or racing)


Structured form Custom form BRS form IS&amp;R form Hits

## Drafts

- ☐ Pending
- ☒ Active
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☒ Tagged (7)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	U	1	Document ID	Issue Dat	Page	Title	Current C
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6626259 B2	20030930	11	Safety seat	180/271
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394535 B1	20020528	12	Vehicle occupant protection system	296/187.0
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6305744 B1	20011023	10	Ejectable safety seat structure for recreatio	297/216.1
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6092853 A	20000725	9	Vehicle safety system	296/68.1
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5947543 A	19990907	12	Vehicle safety system	296/68.1
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6550858 B1	20030422	15	Extricable seat assembly	297/216.1
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5947515 A	19990907	6	Driver safety capsule	280/748

Hits Details HTML



Structured form Custom form BRS form IS&R form Hits

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error I
1	IS&R	L1	365	(296/68.1).CCLS.	US-P GPUB	2005/04/0 4 08:53		
2	BRS	L2	33	11 and shell	US-P GPUB	2005/04/0 4 09:00		
3	IS&R	L3	505	(297/216.1,216.16,216 .18).CCLS.	US-P GPUB	2005/04/0 4 09:00		
4	BRS	L4	22	13 and shell	USPA T	2005/04/0 4 09:02		
5	BRS	L5	40	13 and rac\$	USPA T	2005/04/0 4 09:03		
6	BRS	L6	6	13 and (race or racing)	USPA T	2005/04/0 4 09:04		
7	BRS	L7	2	11 and (race or racing)	USPA T	2005/04/0 4 09:04		



EAST - [radio:2]

FileViewEditToolsWindowHelp

BRS:

BRS: bumper with bracket with

BRS:

BRS:

BRS:

Pending

Active

L2: (33) 11 and shell

L4: (22) 13 and shell

L5: (40) 13 and rac\$

L6: (6) 13 and (race or racing)

L7: (2) 11 and (race or racing)

L8: (60) Combined citation search 1

L9: (60) Combined citation search 2

L10: (20) Combined citation search 3

L11: (217) (297/485).CCLS.

L13: (1) 297/4.ccls. and carbon near2 fiber

L14: (0) 112 and 113

L15: (135) "297"/\$.ccls. and honeycomb

L16: (0) 113 and 115

L17: (0) 113 and race

L18: (4) 115 and race

L12: (49) "297"/\$.ccls. and kevlar

L1: (365) (296/68.1).CCLS.

L3: (505) (297/216.1,216.16,216.18).CCLS.

L19: (299) (D6/356).CCLS.

SearchListBrowseQueueClear

DBsUS-PGPUB:USPAT

Default operator: OR

☒ Highlight all hit terms initially

D6/356

Custom formBRS formIS&R formHitsDetailsIma

Drafts

Pending

Active

L2: (33) 11 and shell

L4: (22) 13 and shell

L5: (40) 13 and rac\$

L6: (6) 13 and (race or

L7: (2) 11 and (race or

L8: (60) Combined citati

L9: (60) Combined citati

L10: (20) Combined citat

L11: (217) (297/485).CCI

L13: (1) 297/4.ccls. and

L14: (0) 112 and 113

L15: (135) "297"/\$.ccls.

L16: (0) 113 and 115

L17: (0) 113 and race

L18: (4) 115 and race

L12: (49) "297"/\$.ccls.

L1: (365) (296/68.1).CCI

L3: (505) (297/216.1,216

L19: (299) (D6/356).CCLS

Failed

Saved

Favorites

Tagged (22)

UDC


Queue

Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6550858 B1	20030422	15	Extricable seat assembly	297/216
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5947515 A	19990907	6	Driver safety capsule	280/748
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6733710 B2	20040511	8	Vehicle passenger restraint and method of	264/222
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6139109 A	20001031	16	Race car seat and jig and method for making t	297/452
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5934749 A	19990810	7	Vehicle seat with removable bolsters and	297/188
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5513897 A	19960507	6	Vehicle seat	297/410
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D344641 S	19940301	6	Wingback safety seat	D6/356
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D321992 S	19911203	3	Vehicle seat or similar article	D6/356
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283470 S	19860422	3	Race car seat	D6/356
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283469 S	19860422	3	Race car seat	D6/356
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4327931 A	19820504	10	Crash resistant motorcycle with integra	280/295
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3165355 A	19650112	6	Universal-fit acceleration protective	297/216
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5161275 A	19921110	12	Vehicle seat liner to facilitate extraction o	5/627
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 0636108 A	18991031	4	TEXT NOT AVAILABLE	280/290
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6224018 B1	20010501	11	Occupant protection svstem	244/121
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5722729 A	19980303	7	Multi-layer high impact seating	297/452
22	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2981317 A	19610425	3	Shock absorbing safety seat [TEXT AVAILABLE IN	297/216

BRS formHitsDetailsHTML

ReadyNUM



## Drafts

- BRS:
- BRS: bumper with bracket with
- BRS:
- BRS:
- BRS:

## Pending

## Active

- L1: (365) (296/68.1).CCLS.
- L2: (33) 11 and shell
- L3: (505) (297/216.1,216.16,216.18).CCLS.
- L4: (22) 13 and shell
- L5: (40) 13 and rac\$
- L6: (6) 13 and (race or racing)
- L7: (2) 11 and (race or racing)
- L8: (60) Combined citation search 1
- L9: (60) Combined citation search 2
- L10: (20) Combined citation search 3

## Failed

## Saved

## Favorites

## Tagged (18)

## UDC

## Queue

## Trash

Search

List

Browse

Queue

Clear

DBs

US-PGPUB,USPAT,USOCR

☐ Plurals

Default operator: OR

☒ Highlight all hit terms initially

("2401748" | "3165355" | "3713695" |  
 "3922030" | "3951429" | "4477041" |  
 "4739953" | "4754999" | "4784352" |  
 "4923147" | "5131608" | "5161275" |  
 "5685603").PN. OR ("5947515").URPN.

Structured form

Custom form

BRS form

IS&amp;R form

Hits

## Drafts

## Pending

## Active

- L1: (365) (296/68.1).CCI
- L2: (33) 11 and shell
- L3: (505) (297/216.1,216.16,216.18).CCLS.
- L4: (22) 13 and shell
- L5: (40) 13 and rac\$
- L6: (6) 13 and (race or racing)
- L7: (2) 11 and (race or racing)
- L8: (60) Combined citation search 1
- L9: (60) Combined citation search 2
- L10: (20) Combined citation search 3

## Failed

## Saved

## Favorites

## Tagged (18)

## UDC

## Queue

## Trash


	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error I
1	IS&R	L1	365	(296/68.1).CCLS.	US-P GPUB	2005/04/0 4 08:53		
2	BRS	L2	33	11 and shell	US-P GPUB	2005/04/0 4 09:00		
3	IS&R	L3	505	(297/216.1,216.16,216.18).CCLS.	US-P GPUB	2005/04/0 4 09:00		
4	BRS	L4	22	13 and shell	USPA T	2005/04/0 4 09:02		
5	BRS	L5	40	13 and rac\$	USPA T	2005/04/0 4 09:03		
6	BRS	L6	6	13 and (race or racing)	USPA T	2005/04/0 4 09:04		
7	BRS	L7	2	11 and (race or racing)	USPA T	2005/04/0 4 09:04		
8	BRS	L8	60	("2660222"   "2736566"   "3165355"	US-P GPUB	2005/04/0 4 09:21		
9	BRS	L9	60	("2660222"   "2736566"   "3165355"	US-P GPUB	2005/04/0 4 09:23		
10	BRS	L10	20	("2401748"   "3165355"   "3713695"	US-P GPUB	2005/04/0 4 09:28		

BRS form

Hits

Details

HTML



## Drafts

- BRS:
- BRS: bumper with bracket with
- BRS:
- BRS:
- BRS:

## Pending

## Active

- L1: (365) (296/68.1).CCLS.
- L2: (33) 11 and shell
- L3: (505) (297/216.1,216.16,216.18).CCLS.
- L4: (22) 13 and shell
- L5: (40) 13 and rac\$
- L6: (6) 13 and (race or racing)
- L7: (2) 11 and (race or racing)
- L8: (60) Combined citation search 1
- L9: (60) Combined citation search 2
- L10: (20) Combined citation search 3

## Failed

## Saved

## Favorites

## Tagged (18)

## UDC

## Queue

## Trash

    
  ☐ Plurals

 Default operator:  ☒ Highlight all hit terms initially

 ("2401748" | "3165355" | "3713695" |  
 "3922030" | "3951429" | "4477041" |  
 "4739953" | "4754999" | "4784352" |  
 "4923147" | "5131608" | "5161275" |  
 "5685603").PN. OR ("5947515").URPN.

## Drafts

## Pending

## Active

- L1: (365) (296/68.1).CC
- L2: (33) 11 and shell
- L3: (505) (297/216.1,216
- L4: (22) 13 and shell
- L5: (40) 13 and rac\$
- L6: (6) 13 and (race or
- L7: (2) 11 and (race or
- L8: (60) Combined citati
- L9: (60) Combined citati
- L10: (20) Combined citat

## Failed

## Saved

## Favorites

## Tagged (18)

## UDC

## Queue

## Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6626259 B2	20030930	11	Safety seat	180/271
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394535 B1	20020528	12	Vehicle occupant protection system	296/187
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6305744 B1	20011023	10	Ejectable safety seat structure for recreatio	297/216
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6092853 A	20000725	9	Vehicle safety system	296/68.
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5947543 A	19990907	12	Vehicle safety system	296/68.
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6550858 B1	20030422	15	Extricable seat assembly	297/216
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5947515 A	19990907	6	Driver safety capsule	280/748
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6733710 B2	20040511	8	Vehicle passenger restraint and method of	264/222
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6139109 A	20001031	16	Race car seat and jig and method for making t	297/452
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5934749 A	19990810	7	Vehicle seat with removable bolsters and	297/188
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5513897 A	19960507	6	Vehicle seat	297/410
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D344641 S	19940301	6	Wingback safety seat	D6/356
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D321992 S	19911203	3	Vehicle seat or similar article	D6/356
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283470 S	19860422	3	Race car seat	D6/356
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US D283469 S	19860422	3	Race car seat	D6/356
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4327931 A	19820504	10	Crash resistant motorcycle with integra	280/295
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3165355 A	19650112	6	Universal-fit acceleration protective	297/216
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5161275	19921110	12	Vehicle seat liner to	5/627

EAST - [radio:2]

FileViewEditToolsWindowHelp

Drafts

BRS:

BRS: bumper with bracket with

BRS:

BRS:

BRS:

BRS:

Pending

Active

L1: (2263) B60N002/42.IPC.

L2: (7) L1 AND RACE

Failed

("296/214.ccls.-296/224.ccls. ").CCLS.

("296/\$.ccls. ").CCLS.

("296/\$.ccls. ").CCLS.

S1 and (stop adj2 block))

M.E.D.

("200/\$.ccls. ").CCLS.

("188/\$.ccls. ").CCLS.

("296/\$.ccls. ").CCLS.

hi near2 low\$ with cover\$

Saved

S4: (199) (("49/26.ccls. ") or ("49/28.ccls. ")).C

S5: (1) ("0000001").PN.

S6: (0) ("1000001").PN.

SearchListBrowseQueueClear

DBsDERWENTPlurals

Default operator: ORHighlight all hit terms initially

L1 AND RACE

Custom formBRS formIS&R formHitsDetailsIma

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (60)

UDC

Queue

Trash

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error I
1	BRS	L1	2263	B60N002/42.IPC.	DERW ENT	2005/04/1 1 12:17		
2	BRS	L2	7	L1 AND RACE	DERW ENT	2005/04/1 1 12:17		

BRS formHitsDetailsHTML

Ready

CAP NUM